

SMART SHOWER TOILET



WASH & DRY

Front and rear oscillating wash with adjustable water temperature and pressure, followed by a warm-air dry — no toilet paper needed.



SENSOR-LED & REMOTE

A proximity sensor opens and closes the lid automatically, and every setting can also be adjusted from the supplied remote control.



PERSONALISED SETTINGS

Wash position, water and air temperature and night light can all be saved per user for a consistent, dignified experience every time.



SELF-CLEANING

Automated nozzle cleaning, a descaling cycle, soft-close lid and circular auto-flush keep the unit hygienic with minimal upkeep.

SMART SHOWER TOILET

Intelligent, hygienic bathing made effortless

Our Smart Shower Toilet combines washing, drying and flushing in one unit, replacing separate bidet and toilet-paper routines with a single hygienic cycle. Adjustable wash position, water temperature and air-dry settings let every user tailor the experience to their own needs, while sensor-controlled lid operation, a remote control and a night light make day-to-day use simple, independent and dignified.

Available as a floor-standing model for straightforward retrofit into an existing bathroom, or a wall-hung model that clears the floor for easier cleaning and wheelchair access, the same intelligent features are built into both — making it a versatile specification for care settings, supported living and accessible bathrooms of every kind. See page 2 for a full comparison of the two options.

HYGIENIC

INTELLIGENT

ADAPTABLE





SMART SHOWER TOILET

CHOOSE YOUR OPTION

Two mounting options, the same intelligent features

OPTION A — FLOOR-STANDING



**OVERALL
WIDTH**
395 mm



**OVERALL
HEIGHT**
780 mm



**PROJECTION
FROM WALL**
692 mm



**MAX USER
WEIGHT**
200 kg



WARRANTY
2 years



SERVICES
Site survey &
installation

Sits on the existing waste outlet, suitable for wall or floor drains — a straightforward retrofit into an existing bathroom footprint. Incl. toilet seat, cover and remote control (batteries not included).

OPTION B — WALL-HUNG



**OVERALL
WIDTH**
595 mm



**OVERALL
HEIGHT**
453 mm



**PROJECTION
FROM WALL**
380 mm



**MAX USER
WEIGHT**
200 kg



WARRANTY
2 years



SERVICES
Site survey &
installation

Clears the floor beneath the pan for easier cleaning and wheelchair access. Adds a heated seat and a digital information display. Incl. toilet seat, cover and remote control; requires a wall-mounting frame (ordered separately).


Call 0800 298 6000 today to discuss which option suits your space




SMART SHOWER TOILET

TECHNICAL DRAWINGS

OPTION A — FLOOR-STANDING



OPTION B — WALL-HUNG



Confirm exact overall dimensions, waste centreline and electrical spur location against the manufacturer's dimensioned drawing before ordering fixings or planning a first-fix.